




Series : **UCT200**

241




Bearing No.	Shaft Dia in mm	Dimensions in mm			Wt. (Kg)
		a	w	h	
UCT201	12.000	89.000	94.000	61.000	0.790
UCT202	15.000	89.000	94.000	61.000	0.770
UCT203	17.000	89.000	94.000	61.000	0.760
UCT204	20.000	89.000	94.000	61.000	0.740
UCT205	25.000	89.000	97.000	62.000	0.820
UCT206	30.000	102.000	113.000	70.000	1.300
UCT207	35.000	102.000	129.000	78.000	1.600
UCT208	40.000	114.000	144.000	88.000	2.400
UCT209	45.000	117.000	144.000	87.000	2.400
UCT210	50.000	117.000	149.000	90.000	2.500
UCT211	55.000	146.000	171.000	106.000	4.000
UCT212	60.000	146.000	194.000	119.000	5.100
UCT213	65.000	167.000	224.000	137.000	7.000
UCT214	70.000	167.000	224.000	137.000	7.100
UCT215	75.000	167.000	232.000	140.000	7.500
UCT216	80.000	184.000	235.000	140.000	8.500
UCT217	85.000	198.000	260.000	162.000	11.200

Take-up Units


BU

Bearing No.	Shaft Dia in mm	Dimensions in mm			Wt. (Kg)
		a	w	h	
UCT305	25.000	89.000	122.000	76.000	1.400
UCT306	30.000	100.000	137.000	85.000	1.800
UCT307	35.000	111.000	150.000	94.000	2.400
UCT308	40.000	124.000	162.000	100.000	3.000
UCT309	45.000	138.000	178.000	110.000	4.100
UCT310	50.000	151.000	191.000	117.000	5.200
UCT311	55.000	163.000	207.000	127.000	6.400
UCT312	60.000	178.000	220.000	135.000	7.600
UCT313	65.000	190.000	238.000	146.000	9.200
UCT314	70.000	202.000	252.000	155.000	11.200
UCT315	75.000	216.000	262.000	160.000	13.000
UCT316	80.000	230.000	282.000	174.000	15.600
UCT317	85.000	240.000	298.000	183.000	19.300
UCT318	90.000	255.000	312.000	192.000	21.200
UCT319	95.000	270.000	322.000	197.000	24.400
UCT320	100.000	290.000	345.000	210.000	30.600

KG



Series : **UCT200**



Bearing No.	Shaft Dia in inch	Dimensions in inch			Wt. (Kg)
		a	w	h	
UCT203-11	11/16	3-1/2	3-11/16	2-13/32	0.790
UCT204-12	3/4	3-1/2	3-11/16	2-13/32	0.790
UCT205-14	7/8	3-1/2	3-11/16	2-7/16	0.840
UCT205-15	15/16	3-1/2	3-11/16	2-7/16	0.840
UCT205-16	1	3-1/2	3-11/16	2-7/16	0.840
UCT206-17	1-1/16	4	4-7/16	2-3/4	1.300
UCT206-18	1-1/8	4	4-7/16	2-3/4	1.300
UCT206-19	1-3/16	4	4-7/16	2-3/4	1.300
UCT207-20	1-1/4	4	5-1/16	3-1/16	1.600
UCT207-21	1-5/16	4	5-1/16	3-1/16	1.600
UCT207-22	1-3/8	4	5-1/16	3-1/16	1.600
UCT207-23	1-7/16	4	5-1/16	3-1/16	1.600
UCT208-24	1-1/2	4-1/2	5-11/16	3-15/32	2.500
UCT208-25	1-9/16	4-1/2	5-11/16	3-15/32	2.500
UCT209-26	1-5/8	4-5/8	5-11/16	3-7/16	2.400
UCT209-27	1-11/16	4-5/8	5-11/16	3-7/16	2.400
UCT209-28	1-3/4	4-5/8	5-11/16	3-7/16	2.400
UCT210-30	1-7/8	4-5/8	5-7/8	3-17/32	2.600
UCT210-31	1-15/16	4-5/8	5-7/8	3-17/32	2.600
UCT211-32	2	5-3/4	6-3/4	4-3/16	4.000
UCT211-34	2-1/8	5-3/4	6-3/4	4-3/16	4.000
UCT211-35	2-3/16	5-3/4	6-3/4	4-3/16	4.000
UCT212-36	2-1/4	5-3/4	7-5/8	4-11/16	4.900
UCT212-38	2-3/8	5-3/4	7-5/8	4-11/16	4.900
UCT212-39	2-7/16	5-3/4	7-5/8	4-11/16	4.900
UCT213-40	2-1/2	6-9/16	8-13/16	5-13/32	6.900
UCT214-44	2-3/4	6-9/16	8-13/16	5-13/32	7.000
UCT215-48	3	6-9/16	9-1/8	5-1/2	7.300
UCT216-50	3-1/8	7-1/4	9-1/4	5-1/2	8.200
UCT217-52	3-1/4	7-13/16	10-1/4	6-3/8	11.000

Take-up Units

BU



Bearing No.	Shaft Dia in inch	Dimensions in inch			Wt. (Kg)
		a	w	h	
UCT305-14	7/8	3-1/2	4-13/16	3	1.400
UCT305-16	1	3-1/2	4-13/16	3	1.400
UCT306-18	1-1/8	3-15/16	5-3/8	3-11/32	1.800
UCT307-20	1-1/4	4-3/8	5-7/8	3-11/16	2.400
UCT307-22	1-3/8	4-3/8	5-7/8	3-11/16	2.400
UCT308-24	1-1/2	4-7/8	6-3/8	3-15/16	3.000
UCT309-26	1-5/8	5-7/16	7	4-11/32	4.100
UCT309-28	1-3/4	5-7/16	7	4-11/32	4.100
UCT310-30	1-7/8	5-15/16	7-1/2	4-19/32	5.200
UCT311-32	2	6-7/16	8-1/8	5	6.400
UCT311-34	2-1/8	6-7/16	8-1/8	5	6.400
UCT312-36	2-1/4	7	8-11/16	5-5/16	7.600
UCT312-38	2-3/8	7	8-11/16	5-5/16	7.600
UCT313-40	2-1/2	7-1/2	9-3/8	5-3/4	9.200
UCT314-44	2-3/4	7-15/16	9-15/16	6-3/32	11.200
UCT315-48	3	8-1/2	10-5/16	6-5/16	13.000
UCT316-50	3-1/8	9-1/16	11-1/8	6-27/32	15.600
UCT317-52	3-1/4	9-7/16	11-3/4	7-7/32	19.300
UCT318-56	3-1/2	10-1/16	12-5/16	7-9/16	21.200
UCT319-60	3-3/4	10-5/8	12-11/16	7-3/4	24.400
UCT320-64	4	11-7/16	13-9/16	8-9/32	30.600

